
Pendants & Chandelier 4
Interior sconces 70
Exterior sconces 112





HARMONY

Featuring a new textured finish technique developed uniquely for this family to contrast against the grooved, tempered glass cylinders of glittering beaded glass. The subtle textural juxtapositions are the details elevating this design to that without equal.


- Uniquely textured metalwork paired with beaded glass shades
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90








See complimentary piece on page 70



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-71011	11"	16W	120-277V	1250	700	AB	Aged Brass	1000

Example: PD-71011-AB



HARMONY

Featuring a new textured finish technique developed uniquely for this family to contrast against the grooved, tempered glass cylinders of glittering beaded glass. The subtle textural juxtapositions are the details elevating this design to that without equal.






See complimentary piece on page 70



- Uniquely textured metalwork paired with beaded glass shades
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- · ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V)
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-71027 PD-71035	27" 35"	58W 80W	120-277V	4500 6250	2500 3500	AB	Aged Brass	200

Example: PD-71034-AB




ARETHA

A contemporized mid-century inspired luminaire featuring geometric aged brass finished cylinders. This innovative design set in a wave suggests movement when viewed from various angles for a gracious statement over a long table or as room dividers when displayed in multiples at upscale establishments.






- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V)
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-74045	45"	31W	120-277V	3400	1815	AB	Aged Brass	1878

Example: PD-74045-AB







See complimentary piece on page 74

· Handmade from recycled glass

Molded gold and clear glass shards

• Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height

• ETL & cETL damp location listed


• Dimmer: ELV, TRIAC 0-10V

Universal Driver (120-277V)

· Rated Life: 50,000 hours

· Color temp: 3000K


· CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-66048	48"	45W	120-277V	1936	1097	AB	Aged Brass	A. A.

Example: PD-66048-AB





- Handmade from recycled glass
- Molded gold and clear glass shards
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V)
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-66028	28"	44W	120-277V	1871	1060	AB	Aged Brass	A CONTRACTOR OF THE PARTY OF TH

Example: PD-66028-AB

FURY





ARCS

A sleek and sophisticated chandelier for contemporary and transitional spaces. Concave and convex arcs in black or aged brass are mirrored above and below. A statement piece for over a dining or conference table.


- · Curved, flowing etched lightguide material
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V)
- Rated Life: 50,000 hours
- · Color temp: 3000K
- CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-31058	58"	40W	120-277V	5300	2089	AB BK	Aged Brass Black	1000

Example: PD-31058-AB





MINX


Elegant artisanal sparkles. Held aloft, long-lasting LEDs provide functional down lighting. A sleek mini pendant that works by itself or in multiples.

- · Reclaimed K5 crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Minimal exposed hardware
- Title 24 option available (special order) with driver concealed within canopy
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90











See complimentary pieces on page 18, 88

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-78013	13"	4W	120-277V	252	190	AB AN	Aged Brass Antique Nickel	-

Example: PD-78013-AB



FOREVER


Spectacularly luminous panels made with reclaimed K5 crystal are spellbouding in this exquisite chandelier. Clandestine LED light sources are powered by thin cables that suspend the frame to the canopy for a technologically advanced design with the utmost attention to detail.








- · Reclaimed K5 crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV / TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-76034	34"	32W	120-277V	2400	1720	AB AN	Aged Brass Antique Nickel	100

Example: PD-76034-AB





Model	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-81004 PD-81006	<i>4 6</i>	32W 45W	120-277V	2642 4135	1669 2446		Aged Brass Antique Nickel	

Example: PD-81004-AB




HARMONIX

Like a dynamic instrument of musical chimes. Harmonix plays to the rhythm of light. Beautiful playful light. A two tone finish features black with aged brass.

- Frosted diffusers spread light evenly
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV / 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90







Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
◆ PD-87914	14"	47W	120-277V	6600	2660	BK/AB	Black/Aged Brass	

Example: PD-87914-BK/AB




AMARI

Cubism captured the imagination of a changing world during the turn of the 20th century. Pay homage to this era in Modern art with a chandelier of juxtaposed planes finished in aged brass.





- · Ambient light distributed from multiple diffusers
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Twelve 12" and four 6" down rods included (additional down rods available for purchase)
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90




Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-79058	58"	60W	120-277V	6000	2400	AB	Aged Brass	100

Example: PD-79058-AB






- Hang straight swivel
- · Ambient light distributed from multiple diffusers
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV/ 0-10V
- Universal Driver (120-277V) concealed within canopy
- Six 12" and two 6" down rods included (additional down rods available for purchase)
- Rated Life: 82,000 hoursColor temp: 3000K
- · CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-80056	56"	40W	120-277V	2794	1972	AB BK	Aged Brass Black	150


Example: PD-80056-AB

JACKAL





- · Cast art glass
- · Low profile aircraft cables for an ultra-clean look
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Six 12" and two 6" down rods included (additional down rods available for purchase)
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-39947	47"	45W	120-277V	3500	1176	AN	Antique Nickel	

Example: PD-39947-AN






- Cast art glass
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- · CRI: 90

Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-39928 PD-39935	28" 35"	44W 64W	120-277V	3000 4000	1311 1902	AN	Antique Nickel	


Example: PD-39928-AN





MODERN FORMS JUPITER Two orbits of cosmic dust dancing in space. Rings can be adjusted independently to create a spectacular modern statement of varying relational elements.

- · Reclaimed K5 crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV / TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-75027	27"	62W	120-277V	5177	4602	ВК	Black	

Example: PD-75027-BK



ACID

Surrealistic droplets of metallic liquid artfully suspended. Powerful LED downlights concealed within these steel shades provide functional illumination comparable to halogen MR16s. String individually or drop them in clusters for the full mind-blowing experience.

- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box
- · Rated Life: 70,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-15604	1 light	11W	120-277V	640	485	BK PN	Black Polished Nickel	•

Example: PD-15604-BK










Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
◆ PD-24848	48"	107W	120-277V	9235	4947	BK TT	Black Titanium	

Example: PD-24848-TT










PD-24838



PD-24826

D - + - + - - -	 	 00 0 50

· Rotatable edge-lit metal bands 0°-25°

• Thin, powered aircraft cables provide an

· ultra-clean look for adjustable suspension height

• JA8 Title 24 2019 compliant

• ETL & cETL damp location listed

• Dimmer: ELV / 0-10V

Universal Driver (120-277V)

Rated Life: 50,000 hours

· Color temp: 3000K

· CRI: 90

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-24826 PD-24838	26" 38"	54W 82W	120-277V	3850 5311	3593 5261	BK TT	Black Titanium	

Example: PD-24838-TT



DOUBLE BUBBLE

A minimalist take on a crystal ball. Two geometrically concentric spheres are laser-etched within K9 optically perfect crystal. When illuminated with the latest in LED technology the double bubble within is a curious diffuse floating light.

- Thin, powered aircraft cable provides an ultra-clean look for adjustable suspension height
- · Light is distributed by a laser-etched crystal ball
- Title 24 option available (special order) with driver concealed within canopy
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box
- Rated Life: 50,000 hoursColor temp: 3000K
- · CRI: 90





12" MIN 120" MAX

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-82006	6"	9W	120-277V	560	530	AB BK SN	Aged Brass Black Satin Nickel	

Example: PD-82006-BK

For Title 24 option, add a "T24" before the finish: PD-82006-T24-BK




BLOOM

Spectacular, yet distinctly different looks from one finely-crafted lightpiece. From a bud of concentrated light to a crown of light.



- Extends and retracts mechanically from 32" to 42"
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Mode	el Le	ength	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-730	32	32"	45W	120-277V	3150	2205	AL BK	Brushed Aluminum Black	


Example: PD-73032-BK

BLOOM





- · Silicon gel diffusers for even illumination
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 2700K, 3000K, 3500K
- · CRI: 90



Model	Length	Color Temp	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-53046	46"	2700 3000 3500	38W	120-277V	2987 3142 3266	1903 2067 2135	AL BK	Brushed Aluminum Black	

Example: PD-53046-30-BK



THERING

Simple yet refined. An elevated ring suspended above by its ultra-thin powered cables. Brushed aluminum or black finishes accentuate the tailored profile and seamless construction.

• Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height

- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V)
- · Rated Life: 50,000 hours


· Color temp: 2700K, 3000K, 3500K

· CRI: 90









20"

Model	CCT	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finisl	h	
PD-55024-27 PD-55036-27 PD-55048-27	2700	27" 36" 48"	22W 30W 44W		1881 2777 3948	1361 2073 3110			
PD-55024-30 PD-55036-30 PD-55048-30	3000	27" 36" 48"	22W 30W 44W	120-277V	1891 2791 3968	1368 2083 3126	BK AL	Black Brushed Aluminum	
PD-55024-35 PD-55036-35 PD-55048-35	3500	27" 36" 48"	22W 30W 44W		1985 2931 4167	1436 2187 3282			

Example: PD-55024-AL



CHAOS

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.

- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V)
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



MULTIPLES WITH AGED BRASS CANOPY

3 Lights PD-64803R-BK/AB-AB

5 Lights PD-64805R-BK/AB-AB

9 Lights PD-64809R-BK/AB-AB

15 Lights PD-64815R-BK/AB-AB

21 Lights PD-64821R-BK/AB-AB

MULTIPLES WITH BLACK CANOPY

3 Lights PD-64803R-BK/AB-AB


5 Lights PD-64805R-BK/AB-AB

9 Lights PD-64809R-BK/AB-AB

15 Lights PD-64815R-BK/AB-AB

21 Lights PD-64821R-BK/AB-AB





Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		Cá	пору	
PD-64803R PD-64805R PD-64809R PD-64815R PD-64821R	5 Lights 9 Lights 15 Lights	19W 32W 50W 80W 115W	120-277	1524 2537 4371 7285 10199	917 1528 2751 4600 6445	BK/ AB	Black/Aged Brass	Al Bl	3 Aged Brass C Black	1.00

Example: PD-64809R-BK/AB-AB

CHAOS

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.

- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V)
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90






Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-64814 PD-64820 PD-64826	14" 20" 26"	10W 15W 22W	120-277V	875 1444 1565	592 943 986	AB BK	Aged Brass Black	200

Example: PD-64826-AB

CHAOS




· Color temp: 3000K


· CRI: 90

Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens		Finish	
◆ PD-64848 PD-64872	48" 72"	30W 58W	120-277V	2336 3859	1628 3496	AB AL BK	Aged Brass Brushed Aluminum Black	


Example: PD-64848-AL







Like frozen branches shimmering with ice, Kryptonite takes inspiration from the beauty of nature, but its elegant geometrical form and the dazzling LED technology transcend the trees for a spectacular statement piece perfect in luxury homes, hotel atriums and opulent restaurants. Sparkling rods of artisanal Piastra crystal and rotatable rods may be personalized for the space you're designing.




Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1	
PD-54728	28"	46W	120-277V	962	846		Black/Piastra Crystal Polished Nickel/Piastra Crystal	*

Example: PD-54728-BK



- · Rotatable arms
- · Cylindrical crystalized Piastra crystal
- Adjust at joints to customize look
- ETL & cETL damp location listed
- · Dimmer: ELV
- Universal Driver (120-277V) installs within junction box
- Three 12" and one 6" down rods included (additional down rods available for purchase)
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1
PD-54732	32"	31W	120-277V	1195	965		Black/Piastra Crystal Polished Nickel/Piastra Crystal

Example: PD-54732-BK

modernforms.com Pendant & Chandelier | 55





Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	1
PD-54765	55"	46W	120-277V	1780	1245		Black/Piastra Crystal Polished Nickel/Piastra Crystal

Example: PD-54765-BK



KRYPTONITE





MAGIC

Glorious sparkly stalks of Piastra crystal are alluringly remarkable either as a single-file line of slender, individual pendants or as a 23-light linear chandelier with customizable proportions. New rectangular canopies. Long lasting LEDs dim down beautifully. Ideal for large residential, hospitality and commercial applications.



Model	# of lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finis	sh	
PD-35603L PD-35605L PD-35623L	5 lights	Rectangular	17W 27W 121W	120-277V	660 1100 5060	600 1000 4600		Black Polished Nickel	•

Example: PD-35623L-PN



MAGIC

Glorious sparkly stalks of Piastra crystal are alluringly remarkable either as a few pendants or as a 21-light chandelier with customizable proportions to cluster over a dining table or dripping down a stairwell or foyer.

- Cylindrical Piastra crystal shades
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- ETL & cETL damp location listed
- Universal Driver (120-277V)
- Rated Life: 75,000 hours
- Color temp: 3000K
- · CRI: 90







Model	# of lights	Wattage	Voltage	LEDLumens	Delivered Lumens	Finish		
PD-35603	3 Lights	17W		660	600			
PD-35605	5 Lights	27W		1100	1000	ВК	Black	
PD-35609	9 Lights	48W	120-277V	1980	1800	PN	Polished Nickel	
PD-35615	15 Lights	80W		3300	3000	111	I Olistica IVICACI	
DD 25624	211:-64-	11011/		4200	4200			

Example: PD-35621-BK





Model	# of lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-35601	1 light	6W	120-277V	220	200	BK PN	Black Polished Nickel	•

Example: PD-35601-BK



CASCADE

CUT CRYSTAL ACCENT

Choose the Cascade design for a more refined take on minimalist glam. Each pendant illuminates beautifully while the jeweled crystal caps, expertly hand-cut, punctuate each piece like a chic yet understated exclamation of luxury.

- Hand-cut faceted crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV / 0-10V
- Universal Driver (120-277V) installs within junction box
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90





Model	Height	Accent	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-41719 PD-41728 PD-41737		Cut Crystal	7W	120-277V	460	395	AB BK PN	Aged Brass Black Polished Nickel	

Example: PD-41719-AB


CASCADE

MULTIPLES WITH CUT CRYSTAL OR ETCHED FLAT ACCENTS

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the jeweled crystal caps, expertly hand-cut, punctuate each piece like a chic yet understated exclamation of luxury.

- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- Dimmer: ELV 0-10V
- Universal Driver (120-277V)
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90







3 Lights PD-41703R

5 Lights PD-41705R

9 Lights PD-41709R

15 Lights PD-41715R

21 Lights PD-41721R

Multiples with Etched Flat Accents


☐ 3 Lights PD-41803R		5 Lights PD-41805R		9 Lig	9 Lights PD-41809R			-41815R	21 Lights PD-41821R	
Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens				
PD-41*03R PD-41*05R PD-41*09R PD-41*15R PD-41*21R	3 Lights 5 Lights 9 Lights 15 Lights 21 Lights	Round	21W 35W 63W 105W 147W	120V-277V	1311 2185 3933 6555 9177	1126 1876 3377 5629 8631	AB BK PN	Aged Brass Black Polished Nicke	*	


^{*} to be Replaced with either 7 or 8 for correct model# Example: PD-41815R-BK




CASCADE









Multiples with Cut Crystal Accents

3 Lights PD-41703L

5 Lights PD-41705L

23 Lights PD-41723L

Multiples with Etched Flat Accents

3 Lights PD-41803L

5 Lights PD-41805L

23 Lights PD-41823L

Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-41*03L PD-41*05L PD-41*23L	3 Lights 5 Lights 23 Lights	Rectangular	21W 35W 161W	120V-277V	1311 2185 10051	1126 1876 8631	AB BK PN	Aged Brass Black Polished Nickel	•

^{*} to be Replaced with either 7 or 8 for correct model# Example: PD-41823L-PN

CASCADE

FLAT ETCHED ACCENT

Suspended alone, in pairs or in multiples as a beautiful chandelier, Cascade captures the imagination and makes an alluring presentation in restaurants, hotel atriums and residences alike. The slim tapered form has a minimalist sensibility that is accentuated by the luminous end.

- Precision cut flat etched cap
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- ETL & cETL damp location listed
- · Dimmer: ELV / 0-10V
- Universal Driver (120-277V) installs within junction box
- Rated Life: 50,000 hours
- · Color temp: 3500K
- · CRI: 90





Model	Height	Accent	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-41819 PD-41828 PD-41837	19" 28" 37"	Etched Cap	7W	120-277V	460	295	AB BK PN	Aged Brass Black Polished Nickel	•

Example: PD-41819-AB



ORACLE


Dazzling in design. Oracle features a specialized handmade technique to encase reclaimed optical crystal. The crackling sconce is indirectly illuminated from a seamless cylinder in plated aged brass. A dramatic appearance to complement luxury interiors.

- · Reclaimed K5 crystal
- · Light is evenly diffused
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV
- · No driver or transformer needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90










Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-69009	9"	11W	120V	613	423	AB AN	Aged Brass Antique Nickel	

Example: WS-69009-AB

70 | Interior Sconces modernforms.com



HARMONY

Featuring a new textured finish technique developed uniquely for this family to contrast against the grooved, tempered glass cylinders of glittering beaded glass. The subtle textural juxtapositions are the details elevating this design to that without equal.


- Uniquely textured metalwork paired with beaded glass shades
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90








See complimentary pieces on page 2, 4



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-71014	14"	16W	120-277V	1250	700	AB	Aged Brass	100

Example: WS-71014-AB

72 | Interior Sconces modernforms.com



CHAOS

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.


- Fixed sculptural form
- Mount vertically or horizontally
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90






See complimentary piece on page 50







Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-64832	32"	29W	120-277V	1838	1255	AB AL BK	Aged Brass Brushed Aluminum Black	200

Example: WS-64832-AB



FURY

An elegant triptych combining energy efficiency with lustrous metal finishes and gold encased art glass panes. Soft and even illumination from an innovative design only made possible with the latest in LED technology.


- · Handmade from recycled glass
- Molded gold and clear glass shards
- Mount vertically or horizontally
- ADA compliant
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90







See complimentary pieces on page 8, 10



Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-66016	16"	23W	120-277V	709	331	AB	Aged Brass	

Example: WS-66016-AB



DIPLOMAT

Easy elegance and simply tailored. A rectangular fabric shade atop a wave of softly illuminated lightguide. Uptown and sleekly finished to fit in with poise.

- Light is evenly diffused through fabric shade and etched lightguide post
- ADA compliant
- JA8 Title 24 2019 compliant
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within fixture
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90







Example: WS-70018-AB

DIPLOMAT

EMBER


Alluring with aged brass or antique nickel finishes and fine reclaimed shards of optical crystal throwing sparkles in all directions. Stunning as an ADA qualified wall sconce for corridors or on either side of a mirror in a luxury bath.

- Reclaimed K5 crystal
- Mount vertically or horizontally
- ADA compliant
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- Rated Life: 56,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-65023	23"	18W	120-277V	1320	964	AB AN	Aged Brass Antique Nickel	

Example: WS-65023-AB



MUSE

Wood, metal, glass and technology come together in a beautifully cohesive LED sconce with a tailored wooden spike, metal accents, a mitered glass shade and the latest advancements in LED technology.

- Ebony stained wood arm and mitered glass
- · ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- · No transformer or driver required
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · 277V Special order
- · CRI: 90







Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-12118	18"	17W	120V	1302	920	AB PN BN	Aged Brass Polished Nickel Brushed Nickel	*

Example: WS-12118-AB

For 277V special order, add an "F" before the finish: WS-12118F-BN



BLADE

A new slant on modern lighting. This low profile angular sconce deploys robust indirect illumination of walls and surfaces. The subtle graduated design offers a unique look and high style appeal.

- Mounts on a switch box
- · ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- · No transformer or driver required
- Rated Life: 50,000 hours
- · Color Temp: 3000K
- · 277V special order
- · CRI: 90









2" 3" 	16" 18"	20" 22"
WS-11511	WS-11718	WS-11522

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-11511	11"	9W		805	580	AL	Brushed Aluminum	
WS-11718	18"	19W	120V	1348	1225	BK	Black	•
WS-11522	22"	19W		1615	1175	WT	White	

Example: WS-11718-AL

For 277V special order, add an "F" before the finish: WS-11718F-AL

SLIDE

An austere form arcing up off the wall deploying illumination in both directions. Simply beautiful.


- · Up & down light
- · Luminaire may be rotated 180° when mounting
- · ADA compliant, low profile design
- ETL & cETL damp location listed
- · Dimmer: ELV
- · Universal Driver (120-277V) in housing
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · 2700K/3500K special order
- · CRI: 90











Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-27610	10"	22W	120-277V	1409	1124	AL BK WT	Brushed Aluminum Black White	+

Example: WS-27610-AL

For 2700K add "-27"; 3500K add "-35" before the finish: WS-27610-35-AL

SLIDE

BURNING MAN

A refined touch to modern industrial décor. Deeply textured for a rough tactile aesthetic, this masculine utilitarian design also has brilliant ends encasing LED light sources while providing architectural up and down lighting.

- · Uniquely textured and finished metalwork
- · Up and down illumination
- ADA compliant
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy


Rated Life: 50,000 hoursColor temp: 3000K

· CRI: 90









M	odel	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-	67015	15"	9W	120-277V	700	542	AB AN	Aged Brass Antique Nickel	

Example: WS-67015-AB



MINX


A glittering torch of illuminated reclaimed fragments of crystal. Elevate your design with illumination that adds a finishing touch of refinement. Discreetly hidden within the luminaire, LEDs offer long-lasting up and down lighting.

- · Reclaimed K5 crystal
- · Minimal exposed hardware
- Up and down illumination
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90










all the same of	1000	
Sug-		- 5 Dygg

See complimentary pieces on page 14, 18, 98

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-68026	26"	9W	120-277V	615	512	AB AN	Aged Brass Antique Nickel	

Example: WS-68026-AB



MAGIC


A magic wand crowned with crystallized art glass illuminated by LEDs from both ends. A slim low profile design perfect for modern vignettes in fine homes and hotels.

- · Up & down light
- · Artisan Piastra crystal
- ETL & cETL damp location listed
- · Dimmer: ELV
- Driver installs within junction box Driver dimension: 2.8"x1.3"x1.2"
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90









See complimentary
piece on page 60

Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-12632	1-light	11W	120-277V	558	427	BK PN	Black Polished Nickel	•

Example: WS-12632-BK





MAGIC


A magic wand crowned with crystallized art glass illuminated by LEDs from both ends. A slim low profile design perfect for modern vignettes in fine homes and hotels.

- · Up & down light
- · Artisan Piastra crystal
- ETL & cETL damp location listed
- · Dimmer: ELV
- Driver installs within junction box Driver dimension: 3"x2"x1"
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90









See complimentary
piece on page 60

Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-12620	1-light	6W	120-277V	285	218	BK PN	Black Polished Nickel	•

Example: WS-12620-BK



MAGIC




BAUER


Modern and versatile. A streamlined art light that is also perfect for lighting bookcases or as a bedside reading light. Features a rotating luminaire for task or indirect lighting. Advanced energy-efficient LEDs offer even illumination without hotspots or harmful projected infrared radiation.

- · Light source rotates 330 degrees
- ETL & cETL damp location listed
- · Dimmer: ELV / TRIAC
- Universal Driver (120-277V) concealed within fixture
- Rated Life: 50,000 hoursColor temp: 3000K
- · CRI: 90










Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PL-77017 PL-77027	17" 27"	15W 18W	120-277V	1400 2300	764 1406	AL BK	Brushed Aluminum Black	

Example: PL-77027-BK

96 | Picture Light modernforms.com



FORBES

These handcrafted artisanal shades steal the show on this exquisite vanity. A state of the art design that looks stunning vertically besides the mirror as well as above it horizontally. The unique shades capture and refract the light such that the visual effect is nothing short of staggering.







- · Reclaimed K5 crystal
- Mount vertically or horizontally
- Up and down illumination
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90



Model	# of lights	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-63027 WS-63037	3 4	27" 37"	20W 27W	120-277V	1772 2304	1217 1795	PN	Polished Nickel	

Example: WS-63027-PN

FORBES



MINX

Urbane and sleek. Reclaimed crystalline shards add sparkle and drama with continuous shadow free LED illumination. An instantly modern classic.

- Reclaimed K5 crystal
- · Luminaire may be rotated 180°
- ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90












See complimentary pieces on page 14, 18, 88



Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-62021 WS-62029 WS-62039	21" 29" 39"	18W 25W 31W	120-277V	1183 1582 2240	862 1074 1528	AB BN	Aged Brass Brushed Nickel	

Example: WS-62021-AB





QUARRY

Prized for millennia for its translucent beauty, Spanish alabaster continues its appeal in the Modern Age. Uniformly lit from behind with LEDs, this luminaire provides ambient lighting enhanced by the inherent beauty of this natural stone.


- · First quality spanish alabaster
- · Distributes light evenly
- Mount vertically or horizontally
- ADA compliant
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- Dimmer: ELV, TRIAC 0-10V
- · No driver or transformder needed
- Rated Life: 54,000 hoursColor temp: 3000K
- · CRI: 90











Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-60018 WS-60028 WS-60038	18" 28" 38"	22W 40W 61W	120V	1893 3211 4863	1052 2013 3007	AB BN	Aged Brass Brushed Nickel	-

Example: WS-60018-AB



MIES


Inspired by Mies van der Rohe, one of the pioneers of modern architecture. This contemporary sconce respects the minimalist aesthetic while observing modern décor trends with an aged brass finish.

- · Minimal exposed hardware
- Mount vertically or horizontally
- ADA compliant
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concelead within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-50820 WS-50827	20" 27"	17W 25W	120-277V	1053 1133	713 784	AB	Aged Brass	

Example: WS-50820-AB

MIES




ARGO

A clean and minimal profile. With soft curves, it easily complements architectural designs. Unobstructed LEDs deliver even, shadow free illumination mounted vertically or horizontally.





- Elongated thin profile with evenly distributed illumination
- Mount vertically or horizontally
- ADA compliant
- JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC
- Universal Driver (120-277V) concealed within fixture
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Length	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-93027 WS-93037	27" 37"	19W 25W	120-277V	2413 3246	1320 1617	BN WT	Brushed Nickel White	

Example: WS-93037-BN



ARGO

The circle, a timeless symbol of continuity and life, gets the modern treatment with a sleek, ultra-slim profile and high-performing LED modules inside. Available in white, black and brushed nickel.




· Installs over a 3", 4" or 3/0-4/0 hybrid electrical box

- · ADA compliant
- · JA8 Title 24 2019 compliant
- ETL & cETL damp location listed
- · Dimmer: ELV, TRIAC
- Integrated driver for 120V
- Rated Life: 50,000 hours
- · Color temp: 3000K
- 120-277V options available for 19" only









· CRI: 90	11"	
NEW FINISH		7" 1" FM-4207
	15"	11" 1" 1" FM-4211
		15" 1" FM-4215
	19"	19" 19"
		FM-4219

Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-4207	7"	15W	120V	1391	1002	DNI	Drucked Nickel	
FM-4211	11"	20W	120V	2109	1521	BN BK	Brushed Nickel Black	
FM-4215	15"	26W	120V	3084	2221	WT	White	•
FM-4219	19"	31W	120-277V	3985	2870	VVI	VVIIILE	

Example: FM-4211-WT

108 | Flush Mount modernforms.com

ARGO




RAZOR

A matching compliment to chrome and nickel plated finishes, this impressive flush mount provides bright and beautiful lighting for task and general applications in residential and hospitality environments. Thick walled glass enhanced with detailed crosshatch polished stainless steel hardware for seaside interiors.

- · Etched opal glass diffuser
- · Polished 304 stainless steel hardware
- ADA compliant
- ETL & CETL damp location listed
- · Dimmer: ELV
- · No transformer or driver needed
- Rated Life: 80,000 hoursColor temp: 3000K
- · CRI: 90





Model	Width	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-4716	16"	40W	120V	2800	1160	SS	Stainless Steel	

Example: FM-4716-SS



ELYSE


Like with ocean waves in the horizon, light twinkles in the undulating glass within this lantern. The minimalistic frame and discreetly-hidden LED technology for soft illumination are well-suited for entrances of upscale residences and commercial spaces.

- · Handmade fused glass
- Mount vertically or horizontally
- · ADA compliant (WS-W58012 only
- JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV, TRIAC 0-10V
- Universal Driver (120-277V) concealed within canopy
- · Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90














WS-W58012

Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W5801	2 12"	12W	120-277V	326	189	ВК	Dlack	
WS-W5801	7 17"	14W	120-2//V	380	233	DK	Black	

Example: WS-W58012-BK

ELYSE




DORNE

Beautiful ambient light warms over the antiqued brass finished feature to indirectly illuminate entryways subtly for a soft and comforting glow. This durable indoor/outdoor wall sconce offers advanced LED technology discreetly hidden in its robust housing.

- · Contrasting aged brass finish and textured black
- · Dark Sky Friendly
- · JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- · No driver or transformer needed
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90







Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W57014 WS-W57018		6W 8W	120V	400 600	114 217	BK/AB	Black/Aged Brass	

Example: WS-W57018-BK/AB



MIST


A contemporary outdoor sconce inspired by the handmade colonial era glass window panes. The seeded and hammered glass is captivatingly framed in black or bronze.

- · Seeded, hammered blown glass
- JA8 Title 24 2019 compliant
- ETL & cETL wet location listed
- · Dimmer: ELV
- · No driver or transformer needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W54016	16"	4W		300	102	BK	Black	
WS-W54020	20"	8W	120V	600	211	BZ	Bronze	
WS-W54025	25"	11W		800	285	DΖ	DIUIIZE	

Example: WS-W54016-BK



LANTERNA

Update your style from traditional lanterns to this clean and open frame. Graciously exquisite with its unique art glass clandestinely illuminated with LEDs to create interest and light refraction on surrounding surfaces.

- Uniquely hand-crafted from recycled glass
- JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- No transformer or driver needed
- Rated Life: 50,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W56014 WS-W56018	14" 18"	6W 10W	120V	400 600	112 208	ВК	Black	

Example: WS-W56014-BK

LANTERNA



WEXLER

Midcentury modern reinterpreted for a timeless appeal. Minimally adorned Wexler reads on the period with retro influenced interiors or exteriors. This stylish luminaire is available in weather-resistant aged brass or black finishes.

- Silk screen tempered glass diffuser eliminates hot spots
- JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- · No driver or transformer needed
- Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90





Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-W59016	16"	13W	120V	630	245	AB BK	Aged Brass Black	

Example: PD-W59016-BK



WEXLER


Midcentury modern reinterpreted for a timeless appeal. Minimally adorned Wexler reads on the period with retro influenced interiors or exteriors. This stylish luminaire is available in weather-resistant aged brass or black finishes.

- · Silk screen tempered glass diffuser
- Dark Sky Friendly
- JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- · No driver or transformer needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · CRI: 90









Model	Height	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W59017	7 16"	12W	120V	630	226	AB BK	Aged Brass Black	200

Example: WS-W59017-BK



SKYSCRAPER

Update your style from traditional lanterns to this clean and open frame. Graciously exquisite with its unique art glass clandestinely illuminated with LEDs to create interest and light refraction on surrounding surfaces.

- · Weather-resistant powder coat
- SS-316 stainless steel BZ & BK - Aluminum construction
- JA8 Title 24 2019 compliant
- ETL & cETL wet location listed, IP65
- · Dimmer: ELV
- · No transformer or driver needed
- · Rated Life: 54,000 hours
- · Color temp: 3000K
- · 277V options available
- · 2700K and 3500K special order
- · CRI:90














⊢6" → ⊦3" ₊	
12"	

WS-W68612

WS-W68618

Black		



Example: WS-W68612-BZ

For 277V special order, add an "F" before the finish: WS-W68612F-BZ For 2700K add "-27"; 3500K add "-35" before the finish: WS-W68618-35-SS







INDEX

A		\bigcirc
ACID ··· 34 AMARI ··· 24	FORBES ··· 98 FOREVER ··· 18	ORACLE ··· 70
ARCS ··· 14 ARETHA ··· 8	FURY ••• 10, 12, 76	Q
ARGO · · · 106, 108 ATLANTIS · · · 28, 30	Н	QUARRY ··· 102
В	HARMONIX ••• 22 HARMONY ••• 4, 6, 72	R
BAUER ··· 96 BLADE ··· 84	J	RACETRACK ··· 44 RAZOR ··· 110
BLOOM ··· 42 BURNING MAN ··· 88	JACKAL ··· 26 JUPITER ··· 32	S
C	K	SKYSCRAPER ··· 124 SLIDE ··· 86
CASCADE ··· 64,68 CHAOS ··· 48, 52, 74	KRYPTONITE ··· 54, 57	Т
	L	THE RING ··· 46
	LANTERNA ··· 118	\vee
DIPLOMAT ··· 78 DORNE ··· 114 DOUBLE BUBBLE ··· 40	\bowtie	VELOCE… 36, 38
E	MAGIC · · · 58, 62, 92, 94 MIES · · · 104 MINX · · · 16, 20, 90, 100	\
ELYSE ··· 112 EMBER ··· 80	MIST · · · 116	WEXLER ••• 120, 122

128 | Index modernforms.com