



SCHONBEK | 1870

SIGNATURE 2024 COLLECTION

SCHONBEK SIGNATURE

Handcrafted for Timeless Elegance

Presenting the 2024 Schonbek Signature Collection

The timeless elegance of Schonbek's rich history is epitomized in our latest Schonbek Signature collection. Composed of traditional styles and new, innovative designs, each luminaire in our 2024 offering is artisanally finished and adorned with the finest crystal elements available today, including our Schonbek Radiance™ Crystal.

In the Spirit of Innovation: Our Pursuit of Sustainability

For 150 years, Schonbek has been at the forefront of innovation in the lighting industry. In keeping with the spirit of this legacy, we are committed to making strides towards a greener and more eco-conscious future. Therefore, in our pursuit of sustainability, we have decided to reduce the size of this supplement to minimize our ecological footprint and contribute to preserving our planet's resources.

There is a QR code next to each product listing to enhance your browsing experience. Scan the code with your smart device for access to the product pages of our website for complete details on the design, features and specifications of each luminaire.




AMADEUS

Chandelier
S9338 | C: (OH) F: (-51)

- ↔ 38.0 in / 96.5 cm
- ↑ 35.0 in / 88.9 cm
- ↕ 38.0 in / 96.5 cm
- ↓ 80.0 in / 203.2 cm
- ⦿ 58.0 lbs / 26.3 kgs
- 💡 15-B10
- ⚡ 120V



A two-tier symphony of graceful arms cradle brilliant Optic Haze™ Quartz bobeches



(OH)

(-22)

(-48)

(-51)


Finishes

(-23)



(-26)

(-76)

Premium Finishes



Canopy




CALLIOPE

Chandelier
S5716 | C: (O) F: (-709)

- ↔ 42.0 in / 106.7 cm
- ↑ 34.0 in / 86.4 cm
- ↕ 27.0 in / 68.6 cm
- ↓ 42.0 in / 106.7 cm
- ⦿ 48.0 lbs / 21.8 kgs
- ☀ 3000K, 3500K, 4000K
- ⚡ 120V-277V
- 💡 23W
- 1840 LED LUM. 1472 DEL. LUM.

Faceted Optic Crystal candlesticks embraced by wrought metal arms



(O)

(-18)

(-710)

(-709)

Canopy



CALLIOPE

Chandelier
S5724 | C: (O) F: (-710)

- ↔ 40.0 in / 101.6 cm
- ↑ 41.0 in / 104.1 cm
- ↕ 40.0 in / 101.6 cm
- ↓ 42.0 in / 106.7 cm
- ⦿ 75.0 lbs / 34.0 kgs
- ☀ 3000K, 3500K, 4000K
- ⚡ 120V-277V
- 💡 27.5W
- LED LUM. 2200 DEL. LUM. 1760



Exquisite wrought metal arms hold Optic Crystal candlesticks





(O)


(-18)

(-710)

(-709)

Canopy





(H)

(R)

(-40)

Canopy

STERLING

Linear Chandelier
S6912 | C: (R) F: (-40)

- ↔ 58.0 in / 147.3 cm
- ↑ 26.9 in / 68.3 cm
- ↕ 24.9 in / 63.2 cm
- ↓ 80.0 in / 203.2 cm
- ⦿ 58.0 lbs / 26.3 kgs
- 💡 12-B10
- ⚡ 120V



Hand-formed crystal arms, finely cut pendants and bobeches





PAVONA

Pendant
S9192 | C: (R) F: (-22)

- ↔ 36.0 in / 91.4 cm
- ↑ 86 in / 217.4 cm
- ↓ 110 in / 279.4 cm
- ⦿ 135.0 lbs / 61.2 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120-277V
- ⦿ 92.5W
- LED LUM. 7600 DEL LUM. 4920



A showpiece of Radiance™ Crystal and hand finished metal tiers





TEMPEST

Chandelier
S5608 | C: (R) F: (-709/18)

- ↔ 60.5 in / 153.7 cm
- ↑ 28.5 in / 72.4 cm
- ↗ 21.0 in / 52.1 cm
- ↓ 42.0 in / 106.7 cm
- ⦿ 17.0 lbs / 7.7 kgs
- 💡 8-B10
- ⚡ 120V





Slender arms and Radiance™ Crystal drops swirl around a faceted column



TEMPEST

Chandelier
S5606 | C: (R) F: (-710/18)

- ↔ 28.5 in / 72.4 cm
- ↑ 28.5 in / 72.4 cm
- ↗ 25.5 in / 64.8 cm
- ↓ 42.0 in / 106.7 cm
- ⦿ 17.0 lbs / 7.7 kgs
- 💡 6-B10
- ⚡ 120V



Curving arms with Radiance™ Crystal swirl around a faceted column




VERVE LED

Linear Pendant
S2643 | C: (R) F: (-401)

- ↔ 43.0 in / 109.2 cm
- ↑ 3.0 in / 7.6 cm
- ↗ 3.0 in / 7.6 cm
- ↓ 114.0 in / 289.5 cm
- ⦿ 12.8 lbs / 5.8 kgs
- ☀ 3000K, 3500K, 4000K
- ⚡ 120/277V
- ⦿ 17W
- 3450 LED LUM. 3107 DEL LUM.



Layered Radiance™ Crystal suspended by polished metal fittings





VERVE LED

Mini Pendant
S2603 | C: (R) F: (-401)

- ↔ 3.0 in / 7.6 cm
- ↑ 19.0 in / 48.3 cm
- ↘ 3.0 in / 7.6 cm
- ↓ 131.0 in / 332.7 cm
- ⬆ 5.1 lbs / 2.3 kgs
- ☀ 3000K, 3500K, 4000K
- ⚡ 120/277V
- ⬆ 42W
- LED LUM. 1435 DEL LUM. 1122





Stacked Radiance™ Crystal baguettes
suspended by polished metal fittings



Wall Sconce
S5703 | C: (O) F: (-18)

- ↔ 16.5 in / 41.9 cm
- ↑ 24.0 in / 61.0 cm
- ↘ 10.0 in / 25.4 cm
- ⬆ 10.0 lbs / 4.5 kgs
- ☀ 3000K, 3500K, 4000K
- 120V/277V
- 11W
- 880 LED LUM. 704 DEL LUM.





Optic Crystal candlesticks embraced
by elegant metallic arms



Wall Sconce
S8517 | C: (R) F: (-700)

- ↔ 4.0 in / 10.2 cm
- ↑ 17.6 in / 44.8 cm
- ↘ 5.6 in / 14.3 cm
- ⬆ 9.8 lbs / 4.4 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- 120/277V
- 21W
- 420 LED LUM. 381 DEL LUM.



Exquisite Optic Crystal centerpiece edged with Radiance™
Crystal Dust and surrounded by aged brass band




PAVONA

Wall Sconce
S9115 | C: (R) F: (-48)

- ↔ 8.0 in / 20.3 cm
- ↑↓ 4.0 in / 10.2 cm
- ↗ 17.5 in / 44.5 cm
- ⬤ 9.0 lbs / 4.1 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120/277V
- ⬤ 20W
- LED LUM. 1221 DEL LUM. 804



A column of Radiance™ Crystal drops and metallic accents




TEMPEST

Wall Sconce
S5602 | C: (R) F: (-709/18)

- ↔ 15.5 in / 39.4 cm
- ↑↓ 14.5 in / 36.8 cm
- ↗ 5.8 in / 14.7 cm
- ⬤ 4.0 lbs / 1.8 kgs
- 💡 2-B10
- ⚡ 120V




Faceted center plate holds two Radiance™ Crystal-adorned arms





BIJOUX

Bath Vanity
S8727 | C: (R) F: (-700)

- ↔ 27.4 in / 69.6 cm
- ↑↓ 4.9 in / 12.4 cm
- ↗ 5.0 in / 12.7 cm
- ⬤ 15.2 lbs / 6.9 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120/277V
- ⬤ 28W
- LED LUM. 1811 DEL LUM. 1206



Ovals of Radiance™ Crystal Dust and encircled by gleaming metallic bands





BIJOUX

Bath Vanity
S8719 | C: (R) F: (-703)

- ↔ 19.1 in / 48.6 cm
- ↑↓ 5.0 in / 12.7 cm
- ↗ 4.3 in / 10.8 cm
- ⬤ 10.7 lbs / 4.9 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120/277V
- ⬤ 20W
- LED LUM. 1331 DEL LUM. 871



Lustrous bands wrap around ovals of Radiance™ Crystal Dust




BELLAIRE

Flush Mount
S8816 | C: (OH) F: (-700)

- ↔ 15.8 in / 40.0 cm
- ↑ 4.3 in / 10.8 cm
- ↗ 15.8 in / 40.0 cm
- ⬆ 9.9 lbs / 4.5 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120/277V
- ⬆ 21W
- LED LUM. 1700 DEL LUM. 900



A circlet of flat, faceted Optic Haze™ Quartz and diffuser of Radiance™ Crystal Dust within a lustrous aged brass dish




TARTE

S8412 | C: (R) F: (-700)
Flush Mount

- ↔ 11.8 in / 29.9 cm
- ↑ 3.9 in / 9.8 cm
- ↗ 11.8 in / 29.9 cm
- ⬆ 6.1 lbs / 2.8 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120V
- ⬆ 28W
- 2400 LED LUM. 1260 DEL LUM.



A ruffled frame holds a Radiance™ Crystal Dust shade




CUPOLA

Flush Mount
S2516 | C: (R) F: (-18)

- ↔ 16.0 in / 40.6 cm
- ↑ 6.8 in / 17.1 cm
- ↗ 16.0 in / 40.6 cm
- ⬆ 19.0 lbs / 8.6 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120/277V
- ⬆ 9W
- LED LUM. 3140 DEL LUM. 2500




Hand-blown fluted glass bowl adorned with Radiance™ Crystal Dust




TARTE

Flush Mount
S8416 | C: (R) F: (-18)

- ↔ 15.6 in / 39.7 cm
- ↑ 3.9 in / 9.8 cm
- ↗ 15.6 in / 39.7 cm
- ⬆ 9.8 lbs / 4.5 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120V
- ⬆ 32W
- 2800 LED LUM. 1655 DEL LUM.



Radiance™ Crystal Dust shadel is held by a delicately ruffled frame




KRISTALLY

Flush Mount
S9912 | C: (R) F: (-700)



- ↔ 12.0 in / 30.5 cm
- ↑ 3.0 in / 7.6 cm
- ↕ 12.0 in / 30.5 cm
- ⬆ 8.7 lbs / 4 kgs
- ☀ 3000K, 3500K, 4000K, 5000K
- ⚡ 120V
- 💡 28W
- LED LUM. 2400 DEL LUM. 1700



Radiance™ Crystal Dust shade is held within lustrous metal bands




CRYSTAL

SELECTIONS




RADIANCE CRYSTAL (R)

Our finest crystal offering in cut, color, and clarity, Radiance™ by Schonbek is engineered brilliance. Characterized by optical purity and prism, each gem has nearly triple the number of jewel-cut facets over mass produced crystals, and delivers a kaleidoscope fire that dances and dazzles.




RADIANCE CRYSTAL DUST (R)

Radiance™ Crystal Dust is composed of tiny jewel-cut facets each sized, shaped and polished to shimmering perfection. Fabricated in Europe at the premier source for lead-free crystal, thousands of these brilliant gems embellish our lighting designs, casting luminous beams that dance and dazzle.



OPTIC CRYSTAL (O)

Modern advancements in the manufacture of optics used in telescopes have ushered in a new generation of crystal. Created to enhance internal light reflection, the Optic Crystal used in Schonbek luminaires catapults new designs into the future.



OPTIC HAZE QUARTZ (OH)

Harder and more durable than crystal, Optic Haze™ Quartz has the same composition and prismatic qualities as naturally occurring quartz crystal. Using a novel process for making consistently high-grade gemstones full of depth and character, Schonbek Optic Haze™ Quartz exhibits the fine characteristics of mined quartz crystals, and are similarly refined by gem cutters. On a Schonbek, they captivate with elegance.



HERITAGE HANDCUT CRYSTAL (H)

European crystal hand-cut by craftsman using centuries-old techniques, Heritage Handcut® Crystal is created in two stages. First cut on iron and sandstone wheels a single facet at a time, then, polished with marble dust on a wooden wheel. Each jewel created is an authentic antique replica of gems that adorned the castles of the Habsburg Empire.

FINISH

SELECTIONS


From the ornate arms of our traditional chandeliers to the pristine lines of our modern crystal luminaires, each frame is impeccably finished to enhance the beauty of a Schonbek with depth and visual interest. Personalize your Signature Schonbek with one of our multilayered finishes to create something unique.



Black
(-18)



Heirloom
Gold (-22)



Etruscan
Gold (-23)



French
Gold (-26)




Polished
Silver (-40)



Antique
Silver (-48)



Black
(-51)



Heirloom
Bronze (-76)




Tourmaline
(-82)



Polished
Stainless Steel
(-401)



Aged
Brass (-700)



Brushed
Nickel (-703)



Soft
Gold (-709)



Soft Gold
& Black
(-709/18)




Soft
Silver (-710)



Soft Silver
& Black
(-710/18)

SKU GUIDE



ICON GUIDE

	Height		Bulb Type 120V
	Width		Bulb Type 220V
	Chain/Wire/Rod Length		Bulb Included
	Depth		Wattage
	Weight		Delivered Lumens
	Color Temperature (CCT)		LED Lumens
	Voltage		

HEADQUARTERS/EASTERN DISTRIBUTION CENTER
61 INDUSTRIAL BLVD, PLATTSBURGH, NY 12901

Schonbek technology and designs are protected by several patents and patent applications. Schonbek will not hesitate to enforce its intellectual property rights through injunctive relief and seek further relief through damages if it has reason to believe its patents are being infringed. Visit www.schonbek.com/patents for more details about Schonbek patents.

Copyright © 2024 Schonbek. All rights reserved. This catalog is copyrighted and Schonbek will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.

Schonbek retains the right to modify the design of its products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.



SCHONBEK.COM