



LIFE.CONNECTED





LIFE. CONNECTED	02
About WAC Home Framework	

EFFORTLESS	CONTROL		04

INTUITIVE LIGHTING	06
WallStation + Gateway	

NATURAL LIGHTING	80
------------------	----

The Right Light For Your Home

# SMART SOLUTIONS10Lighting Technology • Tunable White + Dim-to-Warm

RECESSED	12
FQ 2" + 4" Tunable White 1800K - 4000K	


 TAPE + PIXELS
 16

 INVISILED Duet • 1800K - 4000K + 2700K - 5000K

 PIXELS Duet • 1800K - 4000K + 2700K - 5000K

WAC-Mesh	22
WAC-Mesh 24V Power Supply + Control	

FIXTURE GUIDE	24
Componente + Accessories	



Life. Connected.





Unlock a new era of smart living with WAC Home. Our intelligent lighting system makes it easy to transform your environment into a connected, welllit space. Whether you are adjusting a single light fixture, setting up groups of luminaires, or managing your entire home's interior lighting system, WAC Home puts you in control with a simple touch or voice command. It delivers easy, reliable performance from all of your lighting products. The WAC Home smart lighting system is approachable and easy to use for people of all ages. Using Smart Mesh technology and the MyWAC app, you can manage and monitor your lighting from anywhere in the world, so you're always connected to your home.

Powered by 40 years of innovative technology, WAC Home goes beyond smart - this innovative system can be personalized to your precise lighting needs and preferences.

Effortess Control

### Reliable WAC-Mesh System For Enhanced Control And Connectivity


Everyone wants dependable smart lighting, and with our WAC-Mesh network and MyWAC app, control is seamless. Fast, reliable control lets you choose tunable white colors and create scenes, zones and groups. You will have access to a rich collection of lighting solutions that include FQ Recessed downlights, InvisiLED Duet Tape and Pixels Duet LED Light Sheets.

### Ease Of Use From Anywhere

For complete control at your fingertips, the proprietary MyWAC app is available for iOS and Android devices. This versatile app lets you manage an unlimited number of fixtures from anywhere in the world using your smartphone or tablet. Effortlessly schedule your luminaires to align with specific dates, times, special events, or personalized scenes–all from the comfort of your home. Customize CCT and brightness levels to your exact preferences, or select from a range of convenient presets. Organize your lighting by grouping fixtures to suit your spaces and applications, like combining under-cabinet lights with smart recessed lighting. Additional features and enhancements will be made available through future over-the-air updates.











Intuitive Lighting

### WAC-Mesh WallStation

The WAC Home WallStation is a sleek, modern device that conveniently controls your smart lighting system from a designated location. This multi-scene, multi-zone dimming wall station offers customized light level controls and a user-friendly touch interface. Powered by WAC-Mesh technology, it provides seamless and reliable communication with other WAC smart devices. Use it with the MyWAC app for expanded functionality and integration throughout your home.

The WallStation comes preprogrammed with scenes designed to showcase the best features of WAC Home light fixtures. Using the contractor mode out of the box, your building professional can test the lights via the WallStation without commissioning the entire system or using a gateway. Want even more from your WallStation? Use the MyWAC app to customize your room's lighting and save your personalized settings to any of the four buttons for instant access.

### WAC-Mesh Portable Gateway

A portable, robust and dependable wireless device powered by WAC-Mesh technology, designed for convenient placement on tabletops or desktops. The gateway enables fast and seamless control of WAC Home smart lighting fixtures using the MyWAC app and serves as a vital component to complete your WAC Home system.



Natural Lighting

### The Right Light For Your Home


A child prepares for a big test in the quiet of his bedroom. A couple enjoys an intimate dinner at the table. The young executive pours coffee into his to-go cup. The soccer mom wakes the twins to get them to practice. You enjoy a glass of wine after a long day's grind. Life is incredibly busy, and onesize-fits-all lighting just doesn't cut it. The best lighting adapts to the unique needs of every person, every moment, and every space in your home.

Natural lighting offers an enjoyable connection between your home interior and the world outside. Technologies such as Tunable White and Dim-to-Warm lighting bring the rhythm of natural light indoors, allowing you to match your lighting to the moment's needs. With customizable lighting, you can mimic the crisp brightness of midday sunlight or the soft warmth of a breathtaking sunset. The brightness and color temperature of light influence our mood-boosting energy, promoting calm, or sparking creativity. Don't settle for ordinary lighting when you can have illumination that adapts to your lifestyle.





Smant Solutions



#### Intensity 5%, CCT 1800K

#### Intensity 35%, CCT 2700K

Watching a movie, settling down for the evening

Dinnertime, have guests over for a party

#### Intensity 75%, CCT 3000K


Start your day, making coffee, having breakfast

#### Intensity 100%, CCT 4000K

Middle of the day, working, schoolwork, cleaning

## 🕂 Tunable White

The WAC Home system has the ability to mimic natural light, adjusting from the warm glow of morning light to the crisp, cool tones of midday and the soft ambiance of evening. With an exceptional high CRI, the system's tunable white lighting enhances the richness of fabrics, highlights the details of furnishings, and showcases the textures of walls and the vibrancy of artwork. Lighting can be precisely customized to suit personal preferences, with cooler tones accentuating blues and warmer hues highlighting reds, yellows, and earthy tones. Every individual may perceive color differently, tunable white lighting empowers you to create a personalized lighting experience that resonates with your unique vision.



#### Intensity 100%, CCT 3000K Intensity 55%, CCT 2700K

Middle of the day, working, schoolwork, Welcoming guests into your home

#### Intensity 12%, CCT 2200K

#### Dinner is served, company enjoyed

#### Intensity 2%, CCT 1800K

Wishing your guests well, time to relax

D

### Dim-to-Warm

This system mimics the function of traditional incandescent light sources and dims to warm illumination with standard dimming control. Dim-to-Warm light sources are perfect for any space where you want to create a mood

or evoke emotion. Dining areas, living spaces, bedrooms, and baths can be enhanced with warm light on-demand with the Dim-to-Warm protocol.



# RECESSED FQ 2" + 4"

#### FQ Tunable White Recessed

FQ (Function + Quality) 2" and 4" recessed luminaires are simple and versatile. These fixtures combine modern design with world-class performance to achieve the ultimate function and flexibility. With Tunable White 1800K-4000K and Dim-To-Warm 1800K-3000K features built into the luminaires, you can select the best white light to illuminate dining areas, great rooms, primary bedrooms, kitchens and baths on the fly. Deep regressed light sources keep the fixtures quiet and glare-free in the ceiling for a clean architectural look.



2" Lumen Output: up to 1250 lm 4" Lumen Output: up to 1900 lm

# RECESSED FQ 2" + 4"

### FEATURES

- Two-piece die-cast aluminum construction
- · Light engine mounted on trim with springs for easy replacement
- 0-35° (FQ 2") vertical tilting, 0-45° (FQ 4") vertical tilting, and 365° horizontal rotation
- · Field changeable beam angle with reflectors provided
- Accepts one lens or glare control accessory
- 5 year WAC Lighting product warranty

### AVAILABLE OPTIONS



Downlight

General illumination







Wall Wash Wall illumination

### TRIMLESS FINISHES









TRIM FINISHES



Dark Bronze







HOUSINGS AVAILABLE

- New Construction IC Airtight
- Remodel Non-IC



RECESSED

部

Deep regressed for glare free lighting

<





# INVISILED<sup>®</sup> + PIXELS Duet

INVISILED Duet technology features two wires that are easy to install while supplying both power and control. With a high 90-plus CRI, Tunable White, and Dim-to-Warm built-in technologies, the InvisiLED Duet tape is a symphony of light. Control the tape seamlessly via the WAC Home control system.



Field-Cuttable: Available Lm/ft:

Every 4" 100, 200, 300, 400, 600, 1000

**PIXELS Duet** works flawlessly with Tunable White and Dim-to-Warm built-in dual wire technologies to create beautiful light for each space within your home. The future of fixture-free lighting, this flexible, custom configurable LED light sheet creates a symphony of light on wall and ceiling surfaces. Control the LED sheets seamlessly via the WAC Home control system.

Color Temp:

Field-Cuttable:1" x 1"Available Lm/Sqft:500, 1000

# INVISILED<sup>°</sup> Duet

#### **FEATURES**

- Tune to desired CCT and intensity
- Uniform brightness with advanced Chip-on-Board LEDs
- Strong adhesive bonding with the 3M adhesive VHB
- May be cut and easily reconnected every 4 inches

#### SPECIFICATION

- Available in 6 lumen packages starting at 100lm/ft and up to 1000lm/ft
- Select either 1800K 4000K or 2700K 5000K Tunable White option
- Standard lengths of 1ft, 5ft, or 10ft



.4" \*Actual size shown

### ACCESSORIES

- Power to Tape connector
- Inline Tape to Tape connector
- Tape to Tape L connector
- Extension cable
- Flex Tape to Tape X/Y connector
- Plastic mounting clips
- Power Supply








#### FEATURES

- Lightweight, ultra-thin 1/8" profile
- · Even illumination of translucent surfaces from as little as 2" behind
- May be field-cut vertically or horizontally, in unique shapes or around obstructions
- Easily powered by daisy chaining using two lead wires or solder points on each LED square
- Versatile Mounting Options: 3M-construction adhesive to most surfaces (flat or curved), Use open rectangles for staple fastening for additional security
- · Can be installed in either exposed or fully enclosed spaces
- Available in CCT options of 1800K-4000K or 2700K-5000K

### **PIXELS SELECTION**







## WAC-Mesh 24V PSC

#### WAC-Mesh 24V Power Supply + Control

The new 96W WAC-Mesh PSC will be used to power and communicate with the Tunable White function with InvisiLED Duet tape or Pixels Duet.

As a bonus, this device can be used with our existing 24V products listed below. Use the WAC Home system to turn on and off or dim these static white products:

mastrunt.

Tape Light: INVISILED Lite+ INVISILED Pro+ INVISILED Pro2+ Under Cabinet LED 90 Pucks: LED 87

# RECESSED FQ 2" Tunable White

FQ 2" Tunable White Luminaires		Trim	Finish	Trimless	Finish	Color Temp	Max Lumens	Max CBCP	Beam
	DOWNLIGHT Round, Square	R2FRDT-TWA R2FSDT-TWA		R2FRDL-TWA R2FSDL-TWA			1250	2705	30° 42° 55°
	ADJUSTABLE 0°-35° Round, Square	R2FRAT-TWA R2FSAT-TWA	BK DB HZWT WT	R2FRAL-TWA R2FSAL-TWA	BK DB HZ WT	1800K-4000K	1075	2380	30° 42° 55°
	WALL WASH Round, Square	R2FRWT-TWA R2FSWT-TWA		R2FRWL-TWA R2FSWL-TWA			605	N/A	ASYM
Example:		R2FRDT-TWA-BK		R2FRDL-TWA-BK					
FQ 2" Tunable White	Housing	Trim		Trimless		Power	Watts		
•	Remodel Non-IC	<b>R2FBRT-TW</b> Round, Square		R2FRRL-TW Ro R2FSRL-TW Sq Spackle frame include	luare	1 2	14W 18W		
1	New Construction IC-Rated	<b>R2FBNT-TW</b> Round, Square		R2FRNL-TW RC R2FSNL-TW SC Spackle frame inclue	quare	1 2	14W 18W		

Example: **R2FBRT-TW-1 R2FSNL-TW-2** 

## RECESSED FQ 4" Tunable White

FQ 4" Tunable White	Luminaires	Trim	Finish	Trimless	Finish	Color Temp	Max Lumens	Max CBCP	Beam
	DOWNLIGHT Round, Square	R4FRDT-TWA R4FSDT-TWA		R4FRDL-TWA R4FSDL-TWA			1900	4840	27° 42° 55°
	ADJUSTABLE 0°-45° Round, Square	R4FRAT-TWA R4FSAT-TWA	BK DB HZWT WT	R4FRAL-TWA R4FSAL-TWA	BK DB HZ WT	1800K-4000K	1800	4430	27° 42° 55°
	WALL WASH Round, Square	R4FRWT-TWA R4FSWT-TWA		R4FRWL-TWA R4FSWL-TWA			1370	N/A	ASYM
	Example:	R4FRDT-TWA	-BK	R4FRDL-TWA	-BK				
FQ 4" Tunable White	Housing	Trim		Trimless		Power	Watts		
· ·	Remodel Non-IC	<b>R4FBRT-TW</b> Round, Square		<b>R4FRRL-TW</b> RC <b>R4FSRL-TW</b> Sq Spackle frame include	luare	1 2 3	14W 19W 26W		
	New Construction IC-Rated	<b>R4FBNT-TW</b> Round, Square		<b>R4FRNL-TW</b> Ro <b>R4FSNL-TW</b> So Spackle frame inclue	quare	1 2 3	14W 19W 26W		
	Example:	R4FBRT-TW-3	3	R4FSRL-TW-1					

## INVISILED<sup>°</sup> Duet

	Model	Lumens	Max Run	Power	Len	gth ft.				Сс	olor Temp	Finish
	T24-DU1	100+ lm/ft	60'	1.2W/ft	01	05	10	20	60			
#0         WAC         40         Control           20         15         ************************************	T24-DU2	200+ lm/ft	40'	2.3W/ft	01	05	10	20	40			
1520 18 INVISUED DUET SECONDARCE SOCIAL SECONDARCE SECONDARCE SOCIAL SECONDARCE SOCIAL SECONDARCE SOCIAL SECONDARCE SOCI	T24-DU3	300+ lm/ft	30'	3.5W/ft	01	05	10	20	30	Α	1800-4000K	White
	T24-DU4	400+ lm/ft	20'	4.7W/ft	01	05	10	20	N/A	В	2700-5000K	vvnite
and a service in a service in the se	T24-DU6	600+ lm/ft	15'	5.4W/ft	01	05	10	15	N/A			
	T24-DU10	1000+ lm/ft	10'	8.3W/ft	01	05	10	N/A	N/A			

Example: **T24-DU3-20-B** \* WAC-Mesh PSC Required (sold separately)

# **INVISILED**<sup>°</sup> Duet Accessories

Model		Finish		Model			Fin	ish
T24-DU-PM	<b>Power to Tape Connector</b> Connects power cable to tape (10 pieces per pack)	CL Clear	-	T24-DU-Y	Flex Y Cor Connects and powe In wall rate	tape sections r feed		Black White
Model		Finish		Model			Fin	ish
T24-DU-MM	<b>Tape to Tape Connector</b> Connects tape sections (10 pieces per pack)	CL Clear		T24-DU-X	Flex X Cor Connects and powe In wall rate	tape sections r feed	BK WT	Black White
Model		Finish		Model			Fini	ish
T24-DU-L	L Connector Connects tape sections (2 pieces per pack)	CL Clear	Of B	T24-DU	Plastic Mo For installa non-flat su (10 pieces	irfaces	CL	Clear
	Model				Length		Fini	ish
	T24-DU-IC	Joiner Cable Extend distar tape sections In wall rated v	nce between		002 006 012 036 072	2" 6" 1' 3' 6'		Black White
	Model				Length		Fini	ish
	T24-DU-EX2	Extension Ca Extend distar tape sections In wall rated v	nce between		072 144 240 480	6' 12' 20' 40'		Black White
	Model						Fini	ish
	LED-T-B	Low Voltage Neatly house for up to 2 wi	connections				Whit	te

## **PIXELS** Duet

Model	Lumens	Power	Dimension	Color Temp	Finish
P24-DU05 P24-DU10	500 lm/sqft 1000 lm/sqft	5W/sqft 10W/sqft	12" x 24'	А 1800-4000К В 2700-5000К	White

Example: P24-DU05-B

\* WAC-Mesh PSC Required ( sold separately )

# WAC-Mesh PSC

	Model	Description	Dimension	Input	Output	Finish
R de	PS-24DC-96R-TW-DU	Includes 6ft lead wire with connector UL Class 2 output	711%6" x 411%6" x 13%8"	120-277VAC	24VDC 96W	Black

Works with HR-LED 90, HR-LED87, InvisiLED Lite+, InvisiLEDPRO+ and InvisiLED PRO2+ for dimming and on/off control.

## WAC-Mesh WallStation

Ν	Vodel		Dimension	Input	Output	Finish
	WH-WS-WT	WAC-Mesh WallStation allows control of lighting system from one primary location.	45%" × 23/4" × 15%"	120-230VAC	300W	White

## WAC-Mesh Portable Gateway

Model	Description	Dimension	Input	Finish
WH-GW1-WT	Includes USB-C cable and power supply	$4"{\times}4"{\times}^{15}\!\!{}_{16}"$	120-230VAC	White





### Headquarters

Tel: 800.526.2588 Fax: 800.526.2585

44 Harbor Park Dr Port Washington, NY 11050

# Distribution and Assembly Facilities

#### South East

1700 Sc

1600 Distribution Ct Lithia Springs, GA 30122 1700 South J Elmer Weaver Freeway Suite 100 Cedar Hill, TX 75104 West

1750 S Archibald Ave Ontario, CA 91761

Email customs@waclighting.com to learn more about our custom capabilities in large quantities. For up to date product specifications and assistance please visit **waclighting.com** or call **1-800-526-2588** 

This catalog includes patented and patent-pending products or features. We will not hesitate to enforce our intellectual property righ through injunctive relief and seek further relief through damages if w have reason to believe the patents are being infringed.

Copyright © 2025 by WAC Lighting. All rights reserved. This catalog is copyrighted and WAC reserves the right to use any and all measures available to it under the law agains anyone who copies or derives from its copyrighted work.

waclighting.com