

MODERN FORMS

MODERN FORMS

SUPPLEMENT  
2021

Chandeliers & Pendants	2
Mini Pendant	14
Interior Sconces	30
Bath & Interior Sconces	46
Flush Mounts	66
Exterior Sconces & Flush Mounts	78

Within these pages, you will find plentiful products that meet ADA and Dark Sky compliance, many with universal voltage input (120V-277V) or other custom order options, all in a variety of sizes to permit maximum versatility in style and application. We also invite you to explore the possibilities of working with a true manufacturer, where your needs may require something custom. For more information, please contact:  
[custom@modernforms.com](mailto:custom@modernforms.com)



Chandeliers & Pendants

---





# RHIANNON

Behold a symphony of grace in the curtains as crafted by artists to capture movement when viewed from different angles. The dimensional inlaid design will finely suit a luxurious space. This showstopping pendant reveals an elegant presence visible to all.



- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-70128	28"	56W	120-277V	5669	3682	AB Aged Brass

Example: PD-70128-AB



PD-70128




# ACROPOLIS

From the shining city on a hill, our visual vocabulary gives us a statement piece for the ages. This abstract lightscape features undulating Spanish natural alabaster forms reflected below a luminous aged brass band in peaceful symmetry. Ultra-thin power cables and minimal hardware completes a clean architectural design.



- Incorporates hand selected first quality Spanish alabaster varying in thickness and height
- Natural stone features unique veining and color variation
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Quick slide-on canopy design with minimal hardware for easy installation
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



PD-68146

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-68146	46"	65W	120-277V	5509	2148	AB <i>Aged Brass</i> BN <i>Brushed Nickel</i>


Example: PD-68146-AB





# COLISEO

Where gracious living begins. Immaculate tiles of top-quality Spanish alabaster create a natural luxury set within a channel of luminous antique nickel. Simple elegance is subtly conveyed where no detail is spared including thin aircraft cables for power and suspension.




PD-72128



- First quality Spanish alabaster
- Each crafted fixture combines individual pieces of natural stone that feature unique veining and color variation
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-72128	28"	42W	120-277V	4242	2851	AN <i>Antique Nickel</i> 

Example: PD-72128-AN






# KONSTRUKT

A sculpture of interlocking panels render a thought-provoking aesthetic. Barely visible power aircraft cables add intrigue. The subtle ambient illumination draws attention to this floating work of modern art.




- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Quick slide-on canopy design with minimal hardware for easy installation
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-80048	48"	78W	120-277V	2992	2064	BK <i>Black</i> TT <i>Titanium</i>

Example: PD-80048-BK






# STARLIGHT STARBRIGHT

Breathtaking geometric arrangements of reclaimed crystal shards provide a glittering, visual treat. A crowning achievement of idealistic proportions. Ultra clean architectural details are evident in the thin power aircraft cables and canopy concealing the driver. Luminous in aged brass and antique nickel.



- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-74126

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-74126	26"	42W	120-277V	3479	1819	AB Aged Brass AN Antique Nickel




Example: PD-74126-AN





Mini Pendants



---





# CYMBAL

Resonating like a vibrant note stands this elegant halo of light. The heart of this creation enticingly illuminates a ring of cloudy skies. Holistic beauty is accentuated with an aged brass architectural finish.




PD-62114



- Three 12" and one 6" down rods included (additional sold separately)
- Hang straight swivel
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-62114	14"	9W	120/277V	500	377	AB Aged Brass

Example: PD-62114-AB






# PLUM

Irresistible as fruit from the garden of Eden. Sleek modern elegance with a retro Edison reference and as mesmerizingly cloudy as though staring into a crystal ball. Align these mini pendants in multiples across a table, island, counter or bar to make a dramatic design statement. Thin powered aircraft cable allows you to custom tailor pendant height.



- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-40106

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-40106	6"	7W	120/277V	419	359	AB <i>Aged Brass</i> BK <i>Black</i> SN <i>Satin Nickel</i>



Example: PD-40106-AB




# JULIET

A chiseled luminaire with a captivating sculptured texture. This design features solid faceted crystal spears dramatically carved for a prismatic impact. Matching crystal and hardware details in the canopy complete this luxury pendant design engineered for enduring beauty and longevity.



See complementary piece on page 44, 50



PD-58115



- Angular die-cast cap
- Thick sculptural K9 faceted crystal with distinct asymmetrical cuts
- Three 12" and one 6" down rods included (additional sold separately)
- Coordinating crystal accent canopy included
- Slide-on square canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-58115	15"	8W	120/277V	1091	537	AB Aged Brass BN Brushed Nickel

Example: PD-58115-BN






# INGOT

A capsule delicately strung through the visible reveals atop creating an interesting internally illuminated element. Thin power aircraft cable can be adjusted in the field.



- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-66110

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-66110	10"	12W	120/277V	885	188	AB <i>Aged Brass</i> BK <i>Black</i> BN <i>Brushed Nickel</i>



Example: PD-66110-BN




# TANDEM

Staggered illuminated elements on an asymmetrical design complete a unique look. This innovative pendant features a contrasting black spear for a bold modern statement. Proportions are ideal for use in multiples over a desk, counter or bar.




- Side-lit illumination
- Three 12" and one 6" down rods included (additional sold separately)
- Hang straight swivel
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-50117

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-50117	17"	22W	120/277V	1324	888	BK <i>Black</i>

Example: PD-50117-BK






# HARPER

A modern silhouette crafted with timeless beauty. This handsome tapered pyramid is simple elegance. For a dramatic expression, creatively space these mini pendants in a group over islands, counter, tables and bars. Down rods are included for easy alignment of multiple pendants in a row.




- Three 12" and one 6" down rods included (additional sold separately)
- Hang straight swivel
- Thin canopy conceals a proprietary 120V/277V driver
- Slide-on square canopy with minimal hardware
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



PD-64114


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-64114	14"	7W	120/277V	450	299	BK <i>Black</i> BN <i>Brushed Nickel</i>

Example: PD-64114-BN



# BASALT

Reminiscent of great coastal rock formations, this elegant pendant captivates with reclaimed crystal shards frozen and illuminated to sparkle. This sleek mini pendant carries its weight with a luxurious upscale appeal. Align in groups above islands, tables and counters as a design alternative over traditional hanging elements. A statement making luxury created with a minimalist vocabulary.



PD-48110



- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on hexagonal canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-48110	10"	9W	120/277V	544	340	BN <i>Brushed Nickel</i>

Example: PD-48110-BN





Interior Sconces


---





# BANTAM

An edgy vibe characterizes this Euro styled sconce. The clean straight line motif conceals indirect lighting elements. This interior wall sconce does well in corridors and is ADA compliant. Achieve a vogue look when using many sconces in an artful arrangement. Perfect for washing walls discreetly in classic settings and cool enough to provide a modern edge to contemporary interiors.



- Upward illumination
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K.
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90




WS-38109

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-38109-30	3000K	9"	16W	120V	393	288	BK WT




**Example: WS-38109-30-WT**  
**For 2700K add "-27", 3500K add "-35" before the finish: WS-38109-27-BK**



# OPUS

A piece of enchanting light and harmonious design. This ADA wall sconce basks modern living spaces with delectable ambient light. The bronze finished profile features luscious gold leafing, creating an abstract expressionist profile that commands attention. With upward and downward illumination, the mesmerizing luminaire utilizes integrated and energy-efficient LEDs suitable for placement in residential or hospitality venues. Versatile enough to mount in all directions for a variety of applications.



WS-42114



- 14k gold leaf interior
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-42114	14"	21W	120V	851	647	BZ/GL Bronze/Gold Leaf


Example: WS-42114-BZ/GL





# VALOR

This mesmerizing sconce sets a tone of elegance with hand applied gold leafing and concentric bronze ovals. Inspired by deco artwork, this classic LED luminaire complements your space with creativity and reimagination.



WS-44122



- 14K gold leaf medallion
- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-44122	22"	16W	120/277V	368	288	BZ/GL Bronze/Gold Leaf

Example: WS-44122-BZ/GL






# POET

A handsome black pebbled leather wall sconce with contrasting aged brass metalwork. Elegant materials and exquisite detailing. Up and downward illumination fulfill your ambient and functional needs. A luxurious combination.



- Up and down illumination
- Smooth pebble grain leather
- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



WS-36112

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-36112	12"	15W	120/277V	236	175	BK/AB <i>Black/Aged Brass</i>


Example: WS-36112-BK/AB





# DOWNTON

A harmonious combination of clean crisp fabric and brilliant architectural styled metal finishes form a refreshing design. An incorporated switch allows color temperatures to be customized with 2700K, 3000K or 3500K light to enhance decor. ADA compliant and perfect for hospitality applications. Universal design enables horizontal and vertical mounting. Luxe materials delivered with a golden touch.



WS-26111



- White fabric shade
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-26111-30	3000K	11"	16W	120V	1000	679	AB <i>Aged Brass</i> BN <i>Brushed Nickel</i>


**Example: WS-26111-30-AB**  
 For 2700K add "-27", 3500K add "-35" before the finish: WS-26111-27-BN





# CURVANA

An elegantly finished silhouette when viewed from any angle. Contours on the tailored fabric shade are mirrored in the sweeping metal frame. ACLED technology ensures clean architectural styling. ADA compliant for use in high traffic hospitality and commercial spaces.



WS-60120



- White fabric shade in a curved silhouette
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-60120	20"	11W	120V	800	443	AB Aged Brass BN Brushed Nickel



Example: WS-60120-AB







# JULIET

A chiseled luminaire with a captivating sculptured texture. This design features solid faceted crystal spears dramatically carved for a prismatic impact. A luxury design engineered for enduring beauty and longevity.



See complementary piece on page 20, 50



WS-58115



- Thick sculptural K9 faceted crystal with distinct asymmetrical cuts
- May be mounted on wall vertically or upside down
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-58115	15"	8W	120/277V	1091	466	AB <i>Aged Brass</i> BN <i>Brushed Nickel</i>


Example: WS-58115-AB





Bath & Interior Sconces



---






# LUZERNE

Fluted glass cylinders are nested together creating a striking prismatic effect. Substantial aged brass hardware complement the delicate crystalline elements elegantly. The textural juxtapositions raise the bar for lighting design. Advanced ACLED technology helps achieve a clean architectural look.



WS-30118



WS-30128



- Extruded fluted glass
- Inner plate creates a mirrored effect
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-30118	18"	16W	120V	1385	876	AB
WS-30128	28"	21W		1848	1345	Aged Brass


Example: WS-30128-AB





# JULIET

A chiseled luminaire with a captivating sculptured texture. This design features solid faceted crystal spears dramatically carved for a prismatic impact. The canopy plate mounts horizontally or vertically to satisfy your lighting needs. A luxury design engineered for enduring beauty and longevity.




- Thick sculptural K9 faceted crystal with distinct asymmetrical cuts
- May be mounted on wall in all orientations
- Dimmer: ELV, TRIAC
- Thin canopy conceals a proprietary 120V/277V driver
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



WS-58127

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-58127	27"	15W	120/277V	2182	1036	AB Aged Brass BN Brushed Nickel




Example: WS-58127-AB




# REGAL

Artisanal reclaimed crystal shards glitter with ample ambient illumination. LEDs illuminate the crystal shards frozen within this dramatic bath sconce. Installs in either horizontal or vertical directions depending on your needs.



WS-46118



WS-46128



- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Color temp: 3000K
- Rated Life: 50,000 hours
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-46118	18"	17W	120/277V	1440	874	AB Aged Brass
WS-46128	28"	25W	120/277V	2240	1147	BN Brushed Nickel


Example: WS-46128-AB






# EMBLEM

A refined update to traditional styles. A compelling blend of a curvilinear design, reclaimed crystal and LED technology creates a peerless, enduring look for today's baths and powder rooms. This ADA compliant luminaire mounts on the wall in all directions.



WS-32128




WS-32138



- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-32128	28"	20W	120/277V	1394	1127	AB Aged Brass
WS-32138	38"	29W	120/277V	1821	1507	BN Brushed Nickel


Example: WS-32128-AB






# KINSMAN

Illuminating couture for interiors. Elegant contrasting stitched pebbled black leather and brushed nickel or combinations of warm brown leather and aged brass exude fashion runway references. This handsome luminaire adds upward and/or downward illumination. Perfect in a formal powder room or mounted over built-in library shelves in a study, this versatile light orients both vertically and horizontally. CCT selectable to choose any of three color temperatures to complement coordinating finishes.



WS-28119



WS-28129



- Choose upward illumination, downward or both directions with an internal switch
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Smooth pebble grain leather
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-28119	19"	21W	120V	620	421	BW/AB <i>Bomber Brown/Aged Brass</i>
WS-28129	29"	32W	120V	983	642	BK/BN <i>Pebbled Black/Brushed Nickel</i>



Example: WS-28129-BW/AB






# OPEN BAR

A window of opportunity. This intriguing bath bar features an open design that allows light to shine through. A CCT switch enables multiple color temperature options to customize the look and feel of the room. Utilizing state of the art ACLED driverless technology, the versatile luminaire comes with an optional 1" junction box that allows it to be installed to your precise position in the orientation of your choice.



WS-52127



WS-52137



- 1" slim junction box included and may also be ordered separately (model# JB-0501)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90


Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-52127-30	3000K	27"	17W	120V	1113	815	BK Black
WS-52137-30	3000K	37"	23W	120V	1369	1094	BN Brushed Nickel

**Example: WS-52127-30-BN**  
 For 2700K add "-27", 3500K add "-35" before the finish: WS-52127-27-BN



# 0 TO 60

An exquisite sense of simplicity that lends to its surroundings an even layer of energy-efficient illumination. This clean design blends Euro styling and functional technology suitable for flattering illumination. ADA Compliant. 3 CCTs are selectable to create the white light color temperature of your choice. Like a fast race car, this clean design is a versatile option that can be installed vertically, horizontally, or in any orientation.



WS-56124



WS-56137



- Adjustable backplate offers flexible mounting and accommodates to off-center junction box locations
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No transformer or driver required
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-56124-30	3000K	27"	10W	120V	529	365	BK Black
WS-56137-30		37"	17W		796	522	BN Brushed Nickel


Example: WS-56124-30-BK  
 For 2700K add "-27", 3500K add "-35" before the finish: WS-56137-27-BN






# CADENCE

This clever bath bar offers a trifecta of options. A debonair rotatable diffusing wand allows you to direct flattering LED illumination precisely where needed. A range of thoughtfully engineered options include a minimalist installation and round and square decorative plates.



WS-54127



WS-54139



- Rotate the bar up to 360° to adjust for direct or indirect illumination
- Square and round conversion plates included to accommodate to 4" junction box for added customization
- May be mounted on wall in all orientations
- Driver installs within the Junction Box, driver dimension: 2.8" x 1.3" X 1.2"
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-54127	27"	11W	120-277V	1088	981	BN
WS-54139	39"	15W	120-277V	1438	1284	BN


Example: WS-54127-BN





# CINCH

Upgrade your bath with an eye-catching modern light embedded with LEDs gently diffused by a frosted acrylic diffuser for upward and downward light. Ideal for illuminating a sleek bathroom or alongside a contemporary mirror. This linear functional luminaire delivers robust illumination with flexible mounting options. Switch between 3 color temperatures to customize the white light hue.




WS-34119



- Adjustable backplate accommodates to off-center junction box locations
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV
- Rated Life: 50,000 hours
- CRI: 90



WS-34125



WS-34137

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-34119-30		19"	25W		2221	1230	
WS-34125-30	3000K	25"	32W	120/277V	2755	1589	BN Brushed Nickel
WS-34137-30		37"	40W		3583	2022	

**Example: WS-34119-30-BN**  
 For 2700K add "-27", 3500K add "-35" before the finish: WS-34119-27-BN





Flush Mounts


---





# POLAR


Geometry and technology elevated. Crafted with a square styled mitered glass shade cornered with metal hardware accents designed to complement our popular family of vanity lights. Install them together in a large bathroom to coordinate a coherent lighting design. State of the art LEDs deploy beautiful robust ambient illumination.




FM-3214



- White ceramic silk-screened mitered glass
- May be mounted on ceiling or wall
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-3214	14"	32W	120V	2955	1910	BN <i>Brushed Nickel</i> 

Example: FM-3214-BN





# KIND

A clean layered look. The dimensional shade encompasses a white diffuser wrapped with a clear acrylic exterior. Innovative LED technology offers a creative ability to change the color temperature of the light with ACLED technology.




FM-W76108-30



FM-76108-30



- Dimensional shade with a clear acrylic exterior finished with a white interior
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- May be mounted on ceiling or wall
- FM-W76108 is also Wet Rated IP65 for outdoor applications
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 50,000 hours
- CRI: 90



Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-W76108-30	3000K	8"	11W	120V	600	577	BK SS <i>Black Stainless Steel</i>

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-76108-30	3000K	8"	11W	120V	600	577	BN <i>Brushed Nickel</i>


**Example:** FM-76108-30-BN  
For 2700K add "-27", 3500K add "-35" before the finish: FM-76108-27-BN






# ARGO


A simple and perfect form. Round out your lighting design with this luminaire that flush mounts directly to your ceiling or wall for a clean look and super illumination, thanks to advanced technology featuring efficient LED lighting and 3-CCT selectability for additional versatility and customization. A curvaceous silhouette that will brighten your social circle.




FM-4207



FM-4211



FM-4215




FM-4219



- May be mounted on ceiling or wall
- A 1 inch thin fixture conceals a driver within
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 2700K, 3000K, 3500K
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-4207	3000K	7"	15W	120V	1391	1060	BK
FM-4211		11"	20W	120V	2109	1628	BN
FM-4215		15"	26W	120V	3084	2388	WT
FM-4219		19"	31W	120-277V	3985	2465	



Example: FM-4219-BN  
For 2700K add "-27", 3500K add "-35" before the finish: FM-4219-27-BK






# ZENITH

This diffused, simple, low-profile 15-inch flush mount fixture that is unassuming yet packed with the latest in LED technology. Specify your color temperature for a project and have the flexibility to select your own in the field with the on-board CCT selection switch. For longer commercial corridors, utilize the unique construction of this flush mount to allow you to seamlessly add in emergency battery backup units, without breaking the size symmetry between fixtures.



- Multiple LED array for uniform illumination
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K/4000K/5000K
- Emergency backup battery option available
- May be mounted on ceiling or wall
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- CRI: 90



FM-5415

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-5415-30	3000K	19"	26W	120-277V	2150	1698	TT Titanium

**Example: FM-5415-30-TT**

For emergency battery, add **-EM** after the finish: **FM-5415-30-TT-EM**

For 2700K add "-27", 3500K add "-35", 4000k add "-40", 5000K add "-50" before the finish: **FM-5415-50-TT**







# PRISMA

Clean, elegant and distinctive. Impressive diamond patterned detailing around the mouth blown etched opal glass lens inside the shade creates a fascinating prismatic effect. A combination of aluminum and steel with acrylic and glass. A high-function, cool aesthetically pleasing flush mount reinvented with modern light.




- Mouth blown etched opal glass
- Decorative prismatic vacuum formed shade
- May be mounted on ceiling or wall
- No driver or transformer required
- Dimmer: ELV, TRIAC
- 277V option available (special order)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



FM-78118

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-78118	18"	27W	120V	2267	996	BN <i>Brushed Nickel</i>

**Example: FM-78118-BN**  
 For 277V special order, add an "F" before the finish: FM-78118F-BN





Exterior Sconces  
& Flush Mounts


---





# MAKO

Sleek and striking. Modern lighting designed at just the right angle. This low-profile wall sconce projects a blade of light on the wall behind to feature its own silhouette and a second blade cast downward to light the path below. Defined by an angular upright with ceramic silkscreened glass, Mako enhances both interior and exterior locations as a wet listed, ADA Compliant architectural luminaire. Customize your color temperature from three choices.



WS-W18122



- Down and indirect illumination
- Can be mounted on wall vertically or upside down
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W18122-30	3000K	22"	17W	120/277V	1500	364	AL BK


**Example:** WS-W18122-30-BK  
For 3500K add "-35", 4000K add "-40" before the finish: WS-W18122-35-AL





# REFLECT

Organically yours. Free formed artisan glass comes to light in this shimmering design to evoke a mesmerizing effect as though viewing a reflecting pool. Ideal for a variety of indoor or outdoor upscale applications. A dramatic approach to luxurious residential, commercial or hospitality settings. May be mounted vertically in either direction.



WS-W20118



- Artisan pressed glass with a textured surface
- Can be mounted on wall as shown or upside down
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W20118	18"	11W	120V	850	428	BK


Example: WS-W20118-BK






# REVERE


Gracious and substantial. Mouth-blown seeded hammered glass creates a stunning effect. This updated lantern engineered with ACLED driverless technology invitingly draws attention to entryways. Revere features a transitional style for flexible architectural applications and is useful for tight spaces and columns where a slim fit is required. ADA Compliant. 3 convenient sizes.



WS-W22115



WS-W22120



WS-W22125



- Mouth-blown seeded hammered glass
- Open bottom and removable glass for easy cleaning
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W22115	15"	11W	120V	514	225	BK <i>Black</i>
WS-W22120	20"	13W	120V	613	245	
WS-W22125	25"	15W	120V	700	271	


Example: WS-W22115-BK






## TWO IF BY SEA


Take shelter from the storm. Like a hard rainfall on the window panes, timeless inspiration is melded with modern technology to create a stunning LED luminaire. Beautiful light diffuses through clear hammered mouth blown glass for a soft glow on all sides of this geometric wall sconce. Crafted from extruded aluminum, our new larger scaled version is guaranteed to make a grand first impression.



WS-W41912



WS-W41918




WS-W41925



- Downward illumination
- Clear hammered mouth-blown glass
- No driver or transformer required
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W41912	12"	15W		1200	919	
WS-W41918	18"	15W	120V	1200	965	BK Black
WS-W41925	25"	20W		1600	1317	


Example: WS-W41925-BK





# CHAOS

Add this random work of art into your outdoor or indoor setting. Stack two or three fixtures together to make a singular design statement in large homes or commercial settings. Bars of light are assembled in an amazing arrangement concealing integral LEDs. An extraordinary array of entangled forms of light.



WS-W64824



- Wet location rated for outdoor use
- Fixed sculptural form
- Can be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W64824	24"	23W	120-277V	1228	768	BK <i>Black</i>

Example: WS-W64824-BK






# MAGLEV

An ultra-functional balanced sconce. This LED wall luminaire employs an etched glass diffuser that delivers interest generating bidirectional illumination. ADA compliance allows usage in high traffic hospitality and light commercial spaces. 3 CCTs available for customized selection. Mounts in all orientations.



- Up and down illumination
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K.
- Can be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV
- Rated Life: 54,000 hours
- CRI: 90



WS-W24110

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W24110-30	3000K	10"	15W	120V	632	472	AL <i>Brushed Aluminum</i> BK <i>Black</i> BZ <i>Bronze</i> WT <i>White</i>


Example: WS-W24110-30-WT  
 For 3500K add "-35", 4000K add "-40" before the finish: WS-W24110-35-AL






# STEP LIGHT

Elevate your design and step up to a minimalist aesthetic that highlights a low profile style that flush mounts for a clean look. Ideal lighting for safety and security. A frosted lens delivers beautiful balanced illumination that is shadow free with little glare. Wet listed for both interior and exterior applications on stairs and walls. Three effortless finishes. Three effortless finishes.



- Low profile, flush to wall aesthetics with no visible hardware
- Frosted lens creates balanced lighting, free of shadows with minimum glare
- No driver or transformer required
- Fits into 2" x 4" J-Box with minimum inside dimensions of 3" L x 2" W x 2" H. Includes bracket for J-Box mount.
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
SL-LED100-30	5"	3W	120V	228	24	BK
SL-LED100-30						WT
SL-LED100-30						SS

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
SL-LED200-30	5"	3W	120V	228	19	BK
SL-LED200-30						WT
SL-LED200-30						SS

Example: SL-LED100-30-WT






# KIND

A clean dimensional element for exterior environments. The curvaceous shade encompasses a white diffuser wrapped with a shatter resistant clear acrylic case. Innovative LED technology offers a creative ability to change color temperature of the light with ACLED technology for a clean look.



- Wet location rated for outdoor use
- Dimensional shade with a clear acrylic exterior finished with a white interior
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- CRI: 90



FM-W76108

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-W76108-30	3000K	8"	11W	120V	600	577	BK SS Black Stainless Steel

Example: FM-W76108-30-SS  
For 2700K add "-27", 3500K add "-35" before the finish: FM-W76108-27-BK





# INDEX

## O

0 to 60 ... 60

## A

ACROPOLIS ... 6  
ARGO ... 72

## B

BANTAM ... 32  
BASALT ... 28

## C

CADENCE ... 62  
CHAOS ... 88  
CINCH ... 64  
COLISEO ... 8  
CURVANA ... 42  
CYMBAL ... 16

## D

DOWNTON ... 40

## E

EMBLEM ... 54

## H

HARPER ... 26

## I

INGOT ... 22

## J

JULIET ... 20, 44, 50

## K

KIND ... 70, 94  
KINSMAN ... 56  
KONSTRUKT ... 10

## L

LUZERNE ... 48

## M

MAGLEV ... 90  
MAKO ... 80

## O

OPEN BAR ... 58  
OPUS ... 34

## P

PRISMA ... 76  
PLUM ... 18  
POET ... 38  
POLAR ... 68

## R

REFLECT ... 82  
REGAL ... 52  
REVERE ... 84  
RHIANNON ... 4

## S

STARLIGHT STARBRIGHT ... 12  
STEP LIGHT ... 92

## T

TANDEM ... 24  
TWO IF BY SEA ... 86

## V

VALOR ... 36

## Z

ZENITH ... 74

HEADQUARTERS  
Tel: 800.526.2588  
Fax: 800.526.2585

WEST COAST FACTORY  
1750 S Archibald ave  
Ontario, CA 91761

EAST COAST FACTORY  
44 Harbor Park Dr  
Port Washington, NY 11050

CENTRAL FACTORY  
1600 Distribution Ct  
Lithia Springs, GA 30122

Consult the factory to take advantage of our custom capabilities in large quantities.  
For up-to-date product specifications and assistance, please visit: [modernforms.com](http://modernforms.com) or call **1-800-526-2588**  
We retain the right to modify the design of our products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

© Copyright 2021 Modern Forms

MODERNFORMS.COM



